



01

Tumescent Infiltrator

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

02

Tumescent Infiltrator Angled

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

03

Facelift Infiltration Cannula

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

GENERAL SUCTION CANNULAS



StevensStyleCannula



Cobra Bibevel Style

More aggressive than the Standard, Pyramid or Mercedes, this cannula has a tapered tip with two ports and works effectively within dense fibrous tissue.

06

Cobra Style Round Tip

Less aggressive than the Cobra Bibevel this cell friendly cannula has a rounded tip with two ports and works effectively within dense fibrous tissue during liposuction procedures.





The Cell Friendly Basket Cannula is a versatile liposculpting tool. It can operate as an equalizer without vacuum to treat adipose tissue and skin irregularities in revision liposuction and fat transfer procedures. The Basket Cannula is also adept under vacuum as a fat harvesting cannula. For finishing, this cannula can be used as an injector for equalizing and adding adipose tissue to sculpt smoother contures.



HARVESTER CANNULAS



Multiport Speed Harvester- Both End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.



Multiport Speed Harvester- One End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

16

Multi Port Harvester - Both End Bevel

A sophisticated, precision-designed harvester that is truly Patient Friendly. The ports in the Sorensen Harvester are machined with alternating 60 degree cutting edges. This unique design is less traumatic than other multi-port harvesters and delivers a fine-grained, high fat content/purity yield that can easily pass through 1.2mm, 0.9mm and 0.7mm blunt injectors.

MICRO INJECTORS





SPECIALITY CANNULAS



V-Dissector

This cannula is specifically designed for use in the superficial compartment of the truncal area. The cutting notch is very useful for undermining in facial procedures and in dense, fibrous tissue.



Flap

The Flap is primarily used as an undermining dissector, and in smaller diameters, for facial tissue removal. The Flap Cannula in a 2.1mm diameter is very useful for undermining the nasolabial fold prior to autologous tissue injections, as well as for tissue removal in this anatomic area.



Field Flap

With its elevated leading edge, this cannula is designed to open and expose soft tissue for more precise suctioning along the mandible and sub-mental areas.



Cannula Hubs/ Connections





Ultra Luer lock



60cc Tommey hub





Power Injector

The Power Injector allows the surgeon to re-inject soft tissue through large or small diameter injectors with very little effort and maximum control. The Universal Power Injector will hold a 10cc or a 20cc BD syringe or a BD syringe or 60cc Monoject syringe.



Fat Syringe

The fat syringe is an ideal tool to help surgeons for manual liposuction by creating negative pressure.



SnapLoks

These syringe snap locks fit into the lunger flanges of the syringe. When the plunger is pulled out the lock snaps open on the barrel lip thus holding the syringe under vacuum.







Needle Connector

L-NC-001 Length 2.3"

IV Spike

L-IV-001

Stainless Steel



L-LL-001

Decant Stands

Luer to Luer

L-DS-001 L-DS-002

60cc to Luer Luer to Luer





Nano Tranfer

Introducing the patent-pending NanoTransfer. This proprietary closed system helps size adipose tissue so that it is injectable with 27g and 30g needles. NanoTransfer - taking fat transfer to the smallest level.

L-NT-0001

Anaerobic Transfers

L-AT-12 L-AT-14 L-AT-24

Luer 1.2mm Luer 1.4mm Luer 2.4mm







Address: Allama Iqbal Town,Opposite Qadri Masjid,Defence Road, Sialkot – Pakistan. Tell: +92-52-3252917

Cell: +92-331-6686455

Web: www.bmaintl.com Email: info@bmaintl.com